

## Horse Stable

According to the preferences of horse owners in different countries, the characteristics of horses, occasions of use, as well as the requirements for service life and budget.






JH horse stable have developed permanent stables suitable for indoor use and portable stables that are easy to installation and removal, including temporary stables for events, stables for young horses for easy feeding, full-opening stables for easy cleaning.

The choice of different filling materials, surface treatments, frame structures, sizes and styles determines the stable grade, cost and lifespan.

choosing the one that suits you is the best choice.

### Two important tips helping your choice.

✓ which Infill material should i chose?

INFILL MATERIAL	PICTURE	THICKNESS	APPLICATION	FEATURE
BAMBOO		20 28 32 38mm	◇ Permanent Horse Stable	Very Strong, Anti-insect, waterproof, long lifespan, No deformation, no cracking, beautiful, high density, relatively high price, anti-horse bite
PINE		25 30 40mm	◇ Permanent Horse Stable ◇ Affordable Horse Stable	Medium price, medium strength, beautiful appearance, anti-corrosion treatment.
HDPE		6 8 10mm	◇ Affordable Horse Stable ◇ Temporary Stable	Any color, high toughness, high strength, waterproof, affected by temperature
PLYWOOD		18mm 25mm		Normal strength and low price
VINYL FABRIC		0.6mm 0.9mm	◇ Temporary Stable	Light weight, any color, waterproof, high strength, high toughness. cheap price

✓ What is the differences of the method surface treatments?

There are 3 common surface treatment methods.

Fully Hot dipping galvanized steel, the strongest anti-rust ability, high cost, the most practical process

Powder coating-Any color, mostly black, beautiful, good rust resistance, the most popular way

Galvanized Steel+Painting-Low cost, normal performance on anti-rust,

### European Style Horse Stable Front


It has a varied style, elegance is synonymous of European style. The lower arc provides better visibility for the horse, and the higher arc ensures safety.

Secure adjustable hinge for smooth switching.

✓ This is the first choice if you are building a luxurious stable.

## Permanent Horse Stable European Style

Heavy-duty, high-end,  
long-lifespan, Luxury



**E-02**

**Permanent Horse Stable  
European Style**

**Open design better visibility  
and security Feeling**

*Classic never goes out of style!*

**Top 1** • Best Sellers

**Specification >>>**

**Size**  
3m 3.5m 3.6m 4m 4.2m  
10 ft 12ft 14ft 16ft  
Others




**Finish**  
Powder Coating ● ● ● ● ●  
Fully Hot Dipping Galvanized  
Others

**Infill Materil**  
Bamboo 20 28 32 38mm  
Pine 25 30 40mm  
Plywood/WPC/ others

**E-02**♥

European style  
Hinged /Swing Door

- 360° Swivel Feeder Is Optional
- 304ss Finger Latch And Bolts& Screws
- Prefabricated And Easy Install
- 20 Years Life-Span



**More Changes >>>**

- Wood changes to steel board or pipe grilles or wire mesh
- Bamboo could be with ventilation slots
- Frame work could be sold separately
- Mid-gate (Combing with brick wall ) could be sold separately



RAL 9005 Tiefschwarz  
CMYK 100 100 100 95

**E-06**

Permanent Horse stable  
European style  
**V-Yoke Front**

**E-06 Safe & Luxury**

*Details witness quality & determines success or failure*


**Specification >>>**

**Size**  
3m 3.5m 3.6m 4m 4.2m  
10 ft 12ft 14ft 16ft  
Others

**Finish**  
Powder Coating ● ● ● ● ●  
Fully Hot Dipping Galvanized  
Others

**Infill Materil**  
Bamboo 20 28 32 38mm  
Pine 25 30 40mm  
Plywood/WPC/ others


**3D LayOut Ref. >>>**



- ✓ Full welding
- ✓ Strong Material
- ✓ S Finger Latch
- ✓ 360° Swing Feeder
- ✓ Adjustable Hinges
- ✓ Brass Post-Caps




1,2m for pony horse




**HURRICANE**  
**LUXURY-STYLE**

**E-09**

Permanent Horse Stable  
European Style  
**Stallion Front**




RAL 7016 Anthrazitgrau  
CMYK 60 30 30 80





**E-09** Permanent Horse Stable European Style Stallion Front



Power Coating **VS** Fully Hot Dipping Galvanization



More beautiful

More durable

Colourful


only silver

Corrosion resistant

Most corrosion resistant

**Specification >>>**

Size	Finish	Infill Material
3m 3.5m 3.6m 4m 4.2m 10 ft 12ft 14ft 16ft Others	Powder Coating Fully Hot Dipping Galvanized Others	Bamboo 20 28 32 38mm Pine 25 30 40mm Plywood/WPC/ others




Vertical Pipe



Wooden Holder Plate




Golden Color Ball Cap



Double Swing Window



Adjustable Hinges



Strong Mid-Post

# Specification >>>

# Design+Customize

Size	Finish	Infill Material
3m 3.5m 3.6m 4m 4.2m 10 ft 12ft 14ft 16ft Others	Powder Coating ● ● ● ● ● Fully Hot Dipping Galvanized Others	Bamboo 20 28 32 38mm Pine 25 30 40mm Plywood/WPC/ others

## Wood/Wire Mesh/ Steel Tube Grille


- ✔ Wood is filled when sending out, all was built, easy installation
- ✔ 10mm post-base plate is very strong.
- ✔ Frame work could be sold separately
- ✔ Combine with brick or cement /wooden walls if you want



In order to satisfy more customers, we have developed 9 models, which basically cover all common popular models in the market. Moreover, we support more styles of customization.

All sizes could be customized if the shipping allows. You can choose according to your budget and preferences.

If you are not sure about size, our designer can help you.



**Heavy-duty, high-end, long-lifespan, save space**

**Sliding door stable front**

*Permanenter Pferdestall*

**Specification >>>**

Size


3m 3.5m 3.6m 4m 4.2m  
10 ft 12ft 14ft 16ft  
Others

Finish

Powder Coating  
Fully Hot Dipping Galvanized  
Others

Infill Materil

Bamboo 20 28 32 38mm  
Pine 25 30 40mm  
Plywood/WPC/ others



**S-01 Standard sliding door with V-yoke**



**S-02 Luxury style Sliding Gate**



**S-03 Heavy Duty Sliding Door**




JH Steel have 4 partition options, which is suitable for different layouts and environments.

**D-01: Half grille + half board:** Most popular and allows horse to interact with their horse and maintains ventilation

**D-02: Full Board:** Perfect for horse who require more privacy, as a back end wall panel, or a wash room/tack room wall, window or dutch gate is available.

**D-03 Weave Board & D-04 Mixed Board:** A good balance of being able to interact but still have their privacy when they are eating.


**Half-grille/grid with concrete wall:** Combine with the concrete wall is a good idea to meet your budget.



The rotating front panel and side panel can rotate and open the whole wall.

It is easy to clean and can double the size of the room under certain circumstances.

The strengthened door hinges and the wheel on the ground make the stable under this scheme longer and easier to operate.





The sliding side panel allows the horse rooms to form an integral passageway, which is convenient for mechanical equipment to clean up manure and garbage.





With the top track and the bottom pulley, you can pull it out easily.

### Young horse Barrier

A more convenient way to raise young horses. There are front barrier, side barrier panel for choice.



## PROTABLE/MOBILE BUDGET HORSE STABLE




- ✓ Painting
- ✓ PLY wood/Wire mesh/Pine
- ✓ Lighter Duty
- ✓ Economical Type

## Stall-Accessory



Stainless Steel Finger Latch



Brass Flat-Cap



Stainless Steel Ball-Cap



Corner Feeder



Stainless Steel Feeder



Aluminum Feeder



Stainless Steel Auto-Water Bowl



Cast Iron Auto-Water bowl



Wall Mounted- Manger Feeder



Stable Corner - Hay Rack A



Stable Corner - Hay Rack B



Wall Mounted-Horse Bridle Rack



Heavy Duty 3 Tier Saddle Rack



Folding Saddle Rack



Rolling Saddle Rack Cart



Bridle Hook



Blanket Rack



Horse Rug Rack

## Horse shower Equipment

We have a range of cross ties/wash bay/tie up options to suit your needs. Using our wash bay and tie posts, our clients can make a horse shower area to suit their individual needs.



Spray Horse Boom

Options Available:

- Galvanised or Powder Coated
- Fully or Half Boarded
- Ladder Style
- Choice of square or round posts



Horse Wash Bay A



Horse Wash Bay B



Tie Post

## Horse Stock

JH horse stock was designed with safety in mind. It was manufactured to ensure that there are no sharp corners or protruding edges that may harm the horse.



Horse Stock A




Horse Stock B

### PROTABLEMOBILE/


### TEMPORARY HORSE STABLE




Light weight  
Easy to install  
The cheapest




Painting  
HDPE  
Wire Mesh  
**P-01**




Grey Powder coating  
HDPE  
Vertical Grilles  
**P-02**




Brown Powder Coating  
HDPE  
Horizontal Bars  
**P-03**



Painting  
Vinyl Fabric  
Horizontal Bars  
**P-04**



Green Powder Coating  
PLY WOOD  
Horizontal Bars  
**P-05**



**Horse shelter With Flat Roof**



**Portable Horse Stable with sloping Roof**





## Solarium with Fans

Our solariums are characterized by a simple construction and easy attendance. They are equipped with fans which force the appropriate air circulation that prolong lamps' life and what is more, it makes the drying process much faster for the horse.

The irradiation of infrared light can accelerate blood circulation and prevent internal invisible injury caused by training.

### Solarium-Parameter

- Number of heating Lamps in one panel: 5
- Panel quantity: 3 or 4
- Lamps power: 150W
- Number of fans: 1 in each panel
- Power: 2616W (3-panels), 3088W (4-panels)
- Power voltage: Two-phase electricity
- Weight: 3-panels: 50 kg, 4-panels: 65kg



## Solarium-Light Duty

To meet more client budgets, designers have designed more flexible solutions. There is no enclosed lampshade, leaving the lamp exposed to dissipate heat more directly.

In addition, you can flexibly choose the number of lamp.

The baking lamp is philips brand, safe and reliable.

- 2 Rows --- 8 lamps
- 3 Rows --- 12 lamps
- 4 Rows --- 16 lamps



## Rubber Mats



### Dog Bone Rubber Paver

Material: Rubber Grain  
 Size: 160x200mm  
 Thickness: 15, 20, 25, 30, 35, 40, 45mm  
 Color: Red, green, blue, yellow, grey, black, etc





### Square Rubber Paver

Material: Rubber Grain  
 Size: 500x500mm, 1000x1000mm,  
 Thickness: 20, 25, 30, 40, 45mm  
 Color: Red, green, blue, yellow, grey, black, etc




### Stall Rubber Mats

Material: Rubber  
 Size: 1830x1220mm, (4x6ft)  
 2000x1000mm  
 Thickness: 12mm, 17mm  
 Type: ● Straight edge  
 ● Interlocking edge



### Shower Rubber Mats

Material: Rubber  
 Size: 910x910mm  
 Thickness: 16mm



# BARN WINDOWS & DOOR




**G-01**  
Tempered Glass+Grille  
Dutch door




**W-01**  
Full Wood Infill

**W-02**  
Tempered Glass+Grille

**W-03**  
Arcuated Window



**EG-01**  
Tempered glass  
Sliding door for barn  
entrance/interior door



hurricane

Horse Farm Entry Gate



FG-01



FG-02



FG-03



FG-04



Automatic  
dooropening  
machine  
[ Optional ]  
Remote control

Design &  
Customized  
is available  
LOGO



FG-05



FG-06



FG-07



FG-08



# JH-HORSE JUMPS

Aluminum alloy frame  
NeVer rust  
strong And Light

77305  
HORSE  
Obstacle

JH HORSE JUMP have a variety of horse jumps made for durability and safety and mainly divided into simple style, design style and theme style. Different options will be priced accordingly.

All the jumps can be customized according to application scene, customer budget and design elements. No matter for daily training, competition, or business sponsored advertising, we are able to provide perfect solutions and products.

The Horse jump wood poles are made from quality materials such as aluminum or wood that ensure both durable and convenience for moving. Besides we have a full line of accessories and training obstacles for everyday use.

Usually our Jump stands are sold in pairs and come in different colors and styles but you can also just purchase some necessary accessories such as cups, poles, planks, water pool/tray..


COLOR OPTION



## Horse Jump Sets

### Simple Style

Full aluminum frame, simple color, but excellent performance on the strength and the anti-rust, capable of long-term use.



# Horse Jump Sets




## Theme Style

With various pattern elements and aluminum frame combined with PVC or aluminum plate, our jumps can be manufactured as per different themes like children, advertising, brand sponsorship, personal portrait, logo, specific patterns. Any pictures can be customized.



### Design Style

Mainly aluminum frame,featuring richer modeling,more individual design,more complex combination and beautiful arc,your jumps will be unquel



## Filler And Plank


JH steel can also supply various fillers and planks to match different styles of stands. Most fillers are made from high quality aluminum and some are combined with PVC or aluminum plate to get elegant patterns.

Also our beautiful planks, flat poles, with different patterns and weave shapes will make your jumps unparalleled.



## Poles

Pine multi-layer primer and waterproof paint provide rich colors. The standard length is 3.5m, other options are 3m, 3,6m or 10ft,12ft.



## Filler And Plank


JH steel can also supply various fillers and planks to match different styles of stands. Most fillers are made from high quality aluminum and some are combined with PVC or aluminum plate to get elegant patterns.

Also our beautiful planks, flat poles, with different patterns and weave shapes will make your jumps unparalleled.



## Poles

Pine multi-layer primer and waterproof paint provide rich colors. The standard length is 3.5m, other options are 3m, 3,6m or 10ft,12ft.



## Cavaletti Jump

The cavaletti blocks, suitable for round poles, OD:10cm are designed to adjust the height of the poles so they will make your horse training easier and more efficient. You can get 3 heights as below by rolling the blocks.



## Steel Fence

### Horse Fencing Panel

is ideal for raising horses, mobile stables, livestock round pen and temporary fence box and so on.

It's made of round pipe, this horse fence panel is finished with galvanized and coated powder famous DUPONT and AKZONOBEL powder or painting.

The process is professional, it includes the cut short machine, shape make machine, welder team, professional quality control team, as well as the packing system.



## Accessory



Flags/Pair


Jump Cups

Safety Break-Away Adapter

Kayhole Tracks



Ground Soft poles



Show Jump Water Pool/Tray



End caps

### Cattle Fencing Panel

We can supply various configurations of cattle yards, including cattle panels, cattle gates, sliding gate...

Available for cattle or horses

Quick pin and brackets for easily panel lock

Metal capped to keep rains out

Galvanized surface for most durability

Permanent or portable use available.

C lug & L lug per panel secure panels be jointed together.



Plank Jump Ends




Plastic Jump Block



Horse Jump Pole Rack Trailer





PVC FENCE



& GATE



## PVC Fence & Gate

PVC fence provides a physical barrier that is visible and safe for horses. The superior impact resistance and low-maintenance makes this fencing an easy choice for your future.

Choose from a variety of options such as 2-Rail, 3-Rail, 4-Rail, and crossbuck designs. Once you choose a design option, choose between white or black and you are all set. Just order by the foot, and all of your caps, posts, etc. are included.

### Rails Specifications

Material: PVC  
 Length: 2440mm Post Center to Post Center  
 Height: See Below  
 Post pipe: 127x127x1.8mm  
 Beam pipe: 38x140x2.4mm



2 RAIL

1.2m+0.4m



3 RAIL

1.3m+0.5m



4 RAIL

1.5m+0.5m

### Gate Specifications

Material: PVC  
 Length: 3000mm  
 Height: 1500mm (Above Ground Part 1300mm, Embedded Part 200mm)  
 Fittings: 304 Stainless Steel Gate Lock  
 304 Stainless Steel Hinge  
 304 Stainless Connecting



Single Gate



Double Gate



**Let Your Horse Bask Freely In The Sun.  
Easy Installation, Secure, Flexible,  
Durable, Reliable**



**PVC Fence-Out-Runs**



**Wooden Fence-Out-Runs**

## Horse Paddock/Out-Runs



**Power Coating Steel Fence-Out-Runs**



**Hot Dipping Gal. Steel Fence-Out-Runs**

## Dressage Arenas

We use high-strength HDPE material, the product has good toughness, long service life, light weight, easy handling, placement installation, and easy disassembly.

It adopts a pyramid-shaped prototype design, which stands stably and does not tilt during use.

It can be used for training and competition. It can provide a standard field of 20x60 m and a training field of 20x40 m.

<b>Cone</b>	<b>QTY/Set</b>	38 Line cone, 4 Corner cone (For 20m X 60m layout) 28 Line cone, 4 Corner cone (For 20m X 40m layout)
	<b>Material</b>	HDPE
	<b>Size</b>	Width:300mm, Height: 380mm
<b>Rail</b>	<b>Color</b>	White
	<b>QTY/Set</b>	40 (For 20m X 60m layout) 30 (For 20m X 40m layout)
	<b>Material</b>	Virgin PVC
<b>Letter</b>	<b>Size</b>	50X150X4000 mm
	<b>Color</b>	White
	<b>QTY/Set</b>	12 (For 20m X 60m layout): A, B,C,E,F,H,K,R,M,P,S,V 8 (For 20m X 40m layout): A, B,C,E,F,H,K,M,
<b>Letter</b>	<b>Material</b>	HDPE
	<b>Size</b>	Height: 600mm, Width: 500mm
	<b>Color</b>	White




## HURRICANE Horse Running Rail

### Horse Running Rail- Type 200

Fence height 1250mm, column center distance 2500mm.

The fence column is made of 63mm outer diameter high-strength carbon steel pipe and white powder coating after overall hot-dip galvanizing.

The fence adopts 200mm wide UPVC extruded profile. The fence has good flexibility and high strength, can accept high-strength impact and rebound and recover, and has high safety. It forms safety protection for riders and horses. It is a standard fence commonly used in large-scale speed races held by equestrian clubs.




### Horse Running Rail- Type 110

The design height of 110 speed race fence is 1250mm and the center distance of column is 2500mm. The outer diameter of the fence column is 63mm and the wall thickness is 5mm.

The fence pipe adopts the UPVC round pipe with an outer diameter of 110mm and a wall thickness of 4mm.

The fence is made of plastic, with high flexibility, can accept the impact of a certain strength and rebound recovery, and has high safety.


It forms no dead corner safety protection for riders and horses. In addition, PVC will never rust and will not be maintained in the later stage. It is a common fence for horse racing. The fence has high economy and is suitable for all kinds of large and medium-sized racetracks and small clubs.



## HURRICANE Horse Arena Footing Grid



As a better choice in horse footing arena construction, It is more conducive to drainage and water conservation. High strength and long service life ensure the flatness and good support of the ground. Color: Black Or Green



### Geo-Textile & Fiber

Item: GTB 100% Pure, Full Dry, Compacted. Item: FBA Fiber Silk - 100% Pure




You're looking for a solution to improve or renew your riding grounds? We have many different kind of textile cuttings out of the nonwoven industry in our product portfolio. Those are suitable for riding grounds mixed with sand or pure out of textiles cuttings. With our textile cuttings you get many benefits like a great comfort for your horse. All if our cuttings are harmless for human, animal and environment.




### Geo-Textile & Fiber

Grooming and maintenance are key factors in achieving quality arena footing. Our equestrian horse arena drags enable you to maintain a consistent riding surface for your equine athlete, avoid footing irregularities, and condition your sand and footing additives. A professional-type arena leveler can overturn and redistribute the varying sand particle sizes and keep additives mixed thoroughly.



*Training and safety.*

*Training and safety.*



**PVC Fence-Walker**

### Walker

The walker has become a necessary tool for every day training and is used by many leading trainers. This allows your horses to be trained and exercised with minimal labour costs. We could offer the walker & fence & roof separately.

### Specifications

MATERIAL	STEEL		
SURFACE TREATMENT	FULLY HOT DIPPING GALVANIZED		
MOTOR	ITALIAN IMPORTED MOTOR & REDUCER		
BEARING	SLEWING BEARING		
REVOLUTION	0 ~ 6 ROTATIONS PER MINUTE FORWARD AND REVERSE CAN BE ADJUSTED SUPPORT FOR AN EMERGENCY STOP		
ELECTRIC SOURCE	TWO-PHASE POWER /220/240V OR 110V (50/60HZ) INPUT POWER 0.75KW		
APPLICATION	HORSE TRAINING		
MODEL NUMBER	<b>JHW-10</b>	<b>JHW-16</b>	<b>JHW-20</b>
	DIAMETER 10M 4 ARMS FOR 4 HORSES	DIAMETER 16M 6 ARMS FOR 6HORSES	DIAMETER 20M 8 ARMS FOR 8 HORSES
DRIFT			
	<b>H DRIFT A</b> ALUMINUM BAR	<b>JH DRIFT B</b> WIRE MESH&RUBBER SHEET	<b>JH DRIFT C</b> STEEL FRAME & RUBBER STRIP
	PRODUCT LIST	MOTOR & REDUCER;CONTROLLER, ELECTRIC BOX, CABLE, BEARING, BRACKET, ARM, FLOAT	



### Fence


We have 4type options: (1) Wood fence (2) Wire Mesh & Steel Plate (3) PVC Fence (4) Steel Fence



**Wood fence**




**Wire Mesh Fence**



**Yard Fence**

### Roof

There are two type roofs. The left one is Aluminum alloy structure tarpaulin roof The right one is steel structure caigang watts roof.



### Lunging Ring/Pin

JH Horse Stable offers trainers 4 kings excellent selections of round Lunging pens; PVC fence round pen, the steel fence pens, wire mesh fence pens , pine wood fence. The panels used to make these round pens are designed for safe horse training. Standard diameter is 50ft, 60ft. The height of Pen is 6 ft.



**Wooden Fence-Lunging Ring**



**Wire Mesh Fence-Lunging Ring**



**PVC Fence-Lunging Ring**



**Steel Fence-Lunging Ring**